





**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions and listings of claims in the application:

1. (Currently Amended) A cosmetic composition comprising, in a cosmetically acceptable aqueous medium, a washing base and at least one amphoteric starch chosen from the compounds of formulae (I) to (IV):



wherein:

-St-O is a starch moiety;

-R, which may be identical or different, are each chosen from a hydrogen atom and a methyl group;

-R', which may be identical or different, are each chosen from a hydrogen atom, a methyl group, and a -COOH group;

-n is chosen from integers ranging from 2 to 3;

-M, which may be identical or different, are each chosen from a hydrogen atom, an alkali metal, an alkaline-earth metal, NH<sub>4</sub>, quaternary ammonium compounds, and organic amines; and

R'', which may be identical or different, are each chosen from a hydrogen atom and alkyl groups having from 1 to 18 carbon atoms,

wherein said composition is a detergent and conditioning composition further comprising at least one cationic polymer and at least one non-volatile polyorganosiloxane with a kinematic viscosity of  $1 \times 10^{-5}$  m<sup>2</sup>/s to 1 m<sup>2</sup>/s chosen from:

-polyalkylsiloxanes chosen from polydimethylsiloxanes comprising trimethylsilyl end groups;

- polyarylsiloxanes;

- polyalkylarylsiloxanes; and

~~-silicone resins; and~~

-polyorganosiloxanes comprising substituted or unsubstituted amine groups;

and

wherein said composition is free of fatty acid soaps.

2. (Original) A composition according to claim 1, wherein said at least one amphoteric starch is chosen from the compounds of formula (I) and (II).

3. (Original) A composition according to claim 2, wherein R, R' and R'' are hydrogen and n is equal to 2.

4. (Original) A composition according to claim 1, wherein said washing base comprises at least one surfactant chosen from anionic, amphoteric and nonionic surfactants.

5. (Original) A composition according to claim 1, wherein said washing base comprises at least one anionic surfactant.

6. (Original) A composition according to claim 1, wherein said washing base is present in an amount ranging from 4% and 50% by weight, relative to the total weight of the composition.

7. (Original) A composition according to claim 6, wherein said washing base is present in an amount ranging from 6% to 35% by weight, relative to the total weight of the composition.

8. (Original) A composition according to claim 7, wherein said washing base is present in an amount ranging from 8% to 25% by weight, relative to the total weight of the composition.

9. (Original) A composition according to claim 1, wherein said at least one amphoteric starch is present in an amount ranging from 0.01% to 10% by weight, relative to the total weight of the composition.

10. (Original) A composition according to claim 9, wherein said at least one amphoteric starch is present in an amount ranging from 0.1% to 5% by weight, relative to the total weight of the composition.

11. (Cancelled)

12. (Previously Presented) A composition according to claim 1, wherein said at least one cationic polymer is chosen from quaternary cellulose ether derivatives, cationic cyclopolymers, cationic polysaccharides, quaternary polymers of vinylpyrrolidone and quaternary polymers of vinylimidazole.

13. (Withdrawn) A composition according to claim 12, wherein said cationic cyclopolymers are chosen from diallyldimethylammonium chloride homopolymers and copolymers of diallyldimethylammonium chloride homopolymers and copolymers of diallyldimethylammonium chloride and acrylamide.

14. (Original) A composition according to claim 12, wherein said quaternary cellulose ether derivatives are chosen from hydroxyethylcelluloses which have reacted with an epoxide substituted with a trimethylammonium group.

15. (Withdrawn) A composition according to claim 12, wherein said cationic polysaccharides are chosen from guar gums modified with a 2,3-epoxypropyltrimethylammonium salt.

16. (Previously Presented) A composition according to claim 1, wherein said at least one cationic polymer is present in an amount ranging from 0.001% to 10% by weight, relative to the total weight of the composition.

17. (Original) A composition according to claim 16, wherein said at least one cationic polymer is present in an amount ranging from 0.005% to 5% by weight, relative to the total weight of the composition.

18. (Original) A composition according to claim 17, wherein said at least one cationic polymer is present in an amount ranging from 0.01% to 3% by weight, relative to the total weight of the composition.

19-22. (Cancelled)

23. (Withdrawn) A composition according to claim 1, wherein said polyalkylarylsiloxanes are chosen from

linear polydimethylmethylphenylsiloxanes

branched polydimethylmethylphenylsiloxanes

linear polydimethyldiphenylsiloxanes, and

branched polydimethylmethylphenylsiloxanes.

24. (Withdrawn) A composition according to claim 23, wherein said polyalkylarylsiloxanes have a kinematic viscosity ranging from  $1 \times 10^{-5} \text{ m}^2/\text{s}$  to  $5 \times 10^{-2} \text{ m}^2/\text{s}$  at 25 °C.

25-26. (Cancelled)

27. (Withdrawn) A composition according to claim 1, wherein said silicone resins are chosen from resins comprising at least one unit chosen from  $\text{R}_3\text{SiO}_{1/2}$ ,  $\text{R}_2\text{SiO}_{2/2}$ ,  $\text{RSiO}_{3/2}$ , and  $\text{SiO}_{4/2}$ , wherein R, which may be identical or different, are each chosen from hydrocarbon-based groups comprising 1 to 16 carbon atoms and phenyl groups.

28. (Withdrawn) A composition according to claim 27, wherein said silicone resins are chosen from resins comprising the following units:  $\text{R}_3\text{SiO}_{1/2}$ ,  $\text{R}_2\text{SiO}_{2/2}$ ,  $\text{RSiO}_{3/2}$ , and  $\text{SiO}_{4/2}$ .

29. (Withdrawn) A composition according to claim 1, wherein said polyorganosiloxanes comprising substituted or unsubstituted amine groups are chosen from silicones comprising, in their structure, at least one organofunctional group attached via a hydrocarbon-based radical.

30. (Previously presented) A composition according to claim 1, wherein said at least one silicone is chosen from polyalkylsiloxanes comprising trimethylsilyl end groups, polyalkylarylsiloxanes, combinations of polydimethylsiloxanes comprising at least one gum and at least one oil of different viscosities, combinations of organosiloxanes and cyclic silicones, and polyorganosiloxane resins.

31. (Previously Presented) A composition according to claim 1, wherein said at least one silicone is present in an amount ranging from 0.001% to 20% by weight, relative to the total weight of the composition.





32. (Original) A composition according to claim 31, wherein said at least one silicone is present in an amount ranging from 0.01% and 10% by weight, relative to the total; weight of the composition.

33. (Previously Presented) A composition according to claim 1 further comprising at least one additive chosen from C<sub>10</sub>-C<sub>18</sub> 1, 2, alkanediols and fatty alkanolamides derived from monoethanolamine, C<sub>10</sub>-C<sub>18</sub> 1,2 alkanediols and fatty alkanolamides derived from diethanolamine, silicone sunscreens, non-silicone sunscreens, cationic surfactants, anionic polymers, nonionic polymers, amphoteric polymers, proteins, protein hydrolysates, ceramides, pseudoceramides, fatty acids comprising at least one chain chosen from linear and branched C<sub>12</sub>-C<sub>40</sub> chains, 18-methyleicosanoic acid, hydroxy acids vitamins, provitamins, panthenol, plant oils, animal oils, mineral oils and synthetic oils.

34. (Original) A composition according to claim 33, wherein said at least one additive is present in an amount ranging from greater than 0% to 20% by weight, relative to the total weight of the composition.

35-36. (Cancelled)

37. (Withdrawn - Currently Amended) A process for at least partially removing make-up from keratin materials comprising applying to said keratin materials an amount of a composition effective to at least partially remove said makeup, said composition comprising, in a cosmetically acceptable aqueous medium, a washing base and at least one amphoteric starch chosen from the compositions of formulae (I) to (IV):



wherein:

- St-O is a starch moiety;
- R, which may be identical or different, each are chosen from a hydrogen atom and a methyl group;
- R', which may be identical or different, are each chosen from a hydrogen atom, a methyl group, and a -COOH group;
- n is chosen from integers ranging from 2 to 3;
- M, wherein may be identical or different, are each chosen from a hydrogen atom, an alkali metal, an alkaline-earth metal,  $\text{NH}_4$ , quaternary compounds, and organic amines; and
- R'', which may be identical or different, are each chosen from a hydrogen atom and alkyl groups comprising from 1 to 18 carbon atoms,

wherein said composition is a detergent and conditioning composition further comprising at least one cationic polymer and at least one non-volatile polyorganosiloxane with a kinematic viscosity of  $1 \times 10^{-5} \text{ m}^2/\text{s}$  to  $1 \text{ m}^2/\text{s}$  chosen from:

- polyalkylsiloxanes chosen from polydimethylsiloxanes comprising trimethylsilyl end groups;
- polyarylsiloxanes;
- polyalkylarylsiloxanes; and
- polyorganosiloxanes comprising substituted or unsubstituted amine groups;





and



wherein said composition is free of fatty acid soaps.

38. (Withdrawn) A process according to claim 37, wherein said keratin materials are chosen from skin and hair.

39. (Withdrawn - Currently Amended) A process for conditioning a keratin material comprising applying to said keratin material an amount of a composition effective to condition said keratin materials, said composition comprising, in a cosmetically acceptable aqueous medium, a washing base and at least one amphoteric starch chosen from the compounds of formulae (I) to (IV):



wherein:

- St-O is a starch moiety;
- R, which may be identical or different, each are chosen from a hydrogen atom and a methyl group;
- R', which may be identical or different, are each chosen from a hydrogen atom, a methyl group, and a -COOH group;
- n is chosen from integers ranging from 2 to 3;
- M, wherein may be identical or different, are each chosen from a hydrogen atom, an alkali metal, an alkaline-earth metal, NH<sub>4</sub>, quaternary compounds, and organic amines; and
- R'', which may be identical or different, are each chosen from a hydrogen atom and alkyl groups comprising from 1 to 18 carbon atoms,

wherein said composition is a detergent and conditioning composition further comprising at least one cationic polymer and at least one non-volatile polyorganosiloxane with a kinematic viscosity of  $1 \times 10^{-5}$  m<sup>2</sup>/s to 1 m<sup>2</sup>/s chosen from:

- polyalkylsiloxanes chosen from polydimethylsiloxanes comprising trimethylsilyl end groups;
- polyarylsiloxanes;
- polyalkylarylsiloxanes; and
- polyorganosiloxanes comprising substituted or unsubstituted amine groups;

and

wherein said composition is free of fatty acid soaps.


40. (Withdrawn) A process according to claim 39, wherein said keratin material is hair.




41. (Withdrawn - Currently Amended) A process of washing and conditioning a keratin material comprising:

(a) applying to said keratin material an effective amount of a composition to wash and condition said keratin material; and

(b) rinsing said keratin material with water,

wherein said composition comprises, in a cosmetically acceptable aqueous medium, a washing base and at least one amphoteric starch chosen from the compounds of formulae (I) to (IV):





wherein:

- St-O is a starch moiety;
- R, which may be identical or different, each are chosen from a hydrogen atom and a methyl group;
- R', which may be identical or different, are each chosen from a hydrogen atom, a methyl group, and a -COOH group;
- n is chosen from integers ranging from 2 to 3;
- M, wherein may be identical or different, are each chosen from a hydrogen atom, an alkali metal, an alkaline-earth metal, NH<sub>4</sub>, quaternary compounds, and organic amines; and
- R'', which may be identical or different, are each chosen from a hydrogen atom and alkyl groups comprising from 1 to 18 carbon atoms,

wherein said composition is a detergent and conditioning composition further

comprising at least one cationic polymer and at least one non-volatile

polyorganosiloxane with a kinematic viscosity of  $1 \times 10^{-5}$  m<sup>2</sup>/s to 1 m<sup>2</sup>/s chosen from:

-polyalkylsiloxanes chosen from polydimethylsiloxanes comprising  
trimethylsilyl end groups;

- polyarylsiloxanes;

- polyalkylarylsiloxanes; and

-polyorganosiloxanes comprising substituted or unsubstituted amine  
groups;

and

wherein said composition is free of fatty acid soaps.

42. (Withdrawn) A process according to claim 41, wherein said keratin material is wet before applying said composition.

43. (Withdrawn) A process according to claim 41, wherein said composition is left to stand on said keratin material for period of time.

44. (Withdrawn) A process of according to claim 41, wherein said keratin material is hair.